

Volume 17 Contents

Number 1 January 1995

Evidence for inositol tetrakisphosphate-activated Ca^{2+} influx pathway refilling inositol trisphosphate-sensitive Ca^{2+} stores in hamster eggs <i>H. Shirakawa and S. Miyazaki</i>	1
Thapsigargin protects human erythrocyte Ca^{2+}-ATPase from proteolysis <i>C.O. Bewaji and A.P. Dawson</i>	14
Interplay of glucose-stimulated Ca^{2+} sequestration and acetylcholine-induced Ca^{2+} release at the endoplasmic reticulum in rat pancreatic β-cells <i>N. Hamakawa and T. Yada</i>	21
Staurosporine enhances Ca^{2+} entry induced by depletion of intracellular Ca^{2+} stores in rat parotid acinar cells <i>Y. Tojyo, A. Tanimura, Y. Matsumoto and H. Sugiya</i>	32
Multiple intracellular Ca^{2+} pools exist in human foreskin fibroblast cells: the effect of BK on release and filling of the non-cytosolic Ca^{2+} pools <i>L.B. Baumgarten, H.C. Lee and M.L. Villereal</i>	41
A mathematical model of agonist-induced propagation of calcium waves in astrocytes <i>B.J. Roth, S.V. Yagodin, L. Holtzclaw and J.T. Russell</i>	53
Distribution of plasma membrane Ca^{2+}-ATPase and inositol 1,4,5-trisphosphate receptor in human platelet membranes <i>W.L. Dean and T.M. Quinton</i>	65
Immunological stimulation of single rat basophilic leukemia RBL-2H3 cells co-activates Ca^{2+}-entry and K^{+}-channels <i>M. Gericke, O. Dar, G. Droogmans, I. Pecht and B. Nilius</i>	71

Number 2 February 1995

Differences in uptake, storage and release properties between inositol trisphosphate-sensitive and -insensitive Ca^{2+} stores in permeabilized pancreatic acinar cells <i>F.H.M.M. Van de Put, P. Nagy, J.J.H.H.M. De Pont and P.H.G.M. Willems</i>	85
Introduction of calcium buffers into the cytosol of <i>Dictyostelium discoideum</i> amoebae alters cell morphology and inhibits chemotaxis <i>N. Unterwiesing and C. Schlatterer</i>	97
Review: Ca^{2+}-mobilizing receptors for ATP and UTP <i>A. D. Conigrave and L. Jiang</i>	111
Serotonin elevates intracellular Ca^{2+} in rat choroid plexus epithelial cells by acting on 5-HT_{2C} receptors <i>J.A. Watson, A.C. Elliott and P.D. Brown</i>	120
Effect of phorbol ester on phosphoinositide hydrolysis and calcium mobilization induced by endothelin-1 in cultured canine tracheal smooth muscle cells <i>C. M. Yang, R. Ong, Y.-C. Chen, J.-T. Hsieh, H.-L. Tsao and C.-T. Tsai</i>	129
IP_3 receptor purified from liver plasma membrane is an (1,4,5)IP_3 activated and (1,3,4,5)IP_4 inhibited calcium permeable ion channel <i>M. Mayreiter, R. Schäfer and S. Fleischer</i>	141
Thapsigargin induces cytoplasmic free Ca^{2+} oscillations in mouse oocytes <i>Y. M. Lawrence and K. S. R. Cuthbertson</i>	154

Number 3 March 1995

Differences in features of calcium transients between the nucleus and the cytosol in cultured heart muscle cells: analyzed by confocal microscopy <i>T. Minamikawa, A. Takahashi and S. Fujita</i>	165
The regulation of leukotriene D₄-induced calcium influx in human epithelial cells involves protein tyrosine phosphorylation <i>E. Grönroos, Å. Schippert, M. Engström and A. Sjölander</i>	177
Receptor-mediated calcium signals in astroglia: multiple receptors, common stores and all-or-nothing responses <i>Y. Shao and K. D. McCarthy</i>	187
IBMX induces calcium release from intracellular stores in rat sensory neurones <i>Y. Usachev and A. Verkhratsky</i>	197
Changes in Ca²⁺ concentration in phorbol ester and thapsigargin treated glioma C6 cells. The role of protein kinase C in regulation of Ca²⁺ entry <i>J. Barańska, V. Chaban, M. Czamy and P. Sabała</i>	207
In vivo labelling of L-type Ca²⁺ channels by fluorescent dihydropyridine: correlation between ontogenesis of the channels and the acquisition of neural competence in ectoderm cells from <i>Pleurodeles waltl</i> embryos <i>C. Leclerc, A.-M. Duprat and M. Moreau</i>	216
Chaos in intracellular Ca²⁺ oscillations in a new model for non-excitable cells <i>P. Shen and R. Larter</i>	225
Nuclear calmodulin responds rapidly to calcium influx at the plasmalemma <i>F. Zimprich, K. Torok and S. R. Bolsover</i>	233

Number 4 April 1995

Rat basophilic leukemia cells as model system for inositol 1,4,5-trisphosphate receptor IV, a receptor of the type II family: functional comparison and immunological detection <i>J.B. Parys, H. De Smedt, L. Missiaen, M.D. Bootman, I. Sienaert and R. Casteels</i>	239
Possible regulation of capacitative Ca²⁺ entry into colonic epithelial cells by NO and cGMP <i>G. Bischof, J. Brenman, D.S. Bredt and T.E. Machen</i>	250
The 70 kD component of the heart sarcolemmal Na⁺/Ca²⁺-exchanger preparation is the C-terminal portion of the protein <i>T. Iwata, C. Galli, P. Dainese, D. Guerini and E. Carafoli</i>	263
S-phase independence of parathyroid hormone- induced calcium signalling in primary osteoblast-like cells <i>A. Wiltink and M.P. Bos</i>	270
Complement component C9-dependent cytosolic free Ca²⁺ rise and recovery in neutrophils <i>I. Laffafian, E.V. Davies, A.K. Campbell and M.B. Hallett</i>	279
Intracellular Ca²⁺ oscillations and membrane potential fluctuations in intact human T lympho- cytes: role of K⁺ channels in Ca²⁺ signaling <i>J.A.H. Verheugen and H.P.M. Vijverberg</i>	287
Role of epidermal growth factor-induced membrane depolarization and resulting calcium influx in osteoblastic cell proliferation <i>J. Loza, N. Marzec, S. Simasko and R. Dziak</i>	301
Chemical hypoxia increases cytosolic Ca²⁺ and oxygen free radical formation <i>A.B. Borle and M. Barsic</i>	307

Number 5 May 1995

Spatial distribution and temporal change in cytosolic pH and [Ca²⁺] in resting and activated single human platelets <i>H. Ariyoshi and E.W. Salzman</i>	317
--	-----

Transient increase in cytosolic free calcium evoked by repolarization in type I vestibular hair cells of rats	327
<i>C. Griguer, C. Chabbert, A. Sans and J. Lehouelleur</i>	
Subplasmalemmal Ca^{2+} stores of probable relevance for exocytosis in <i>Paramecium</i>. Alveolar sacs share some but not all characteristics with sarcoplasmic reticulum	335
<i>S. Lange, N. Klauke and H. Plattner</i>	
Increased capacity for store regulated calcium influx in U937 cells differentiated by treatment with dibutyryl cAMP	345
<i>W. Davis, E.L. Halliwell, S.O. Sage and J.M. Allen</i>	
Quantitative determination of free calcium in subcellular compartments, as probed by Indo-1 and confocal microspectrofluorometry	354
<i>J.-M. Millot, L. Pingret, J.-F. Angiboust, A. Bonhomme, J.-M. Pinon and M. Manfait</i>	
$[\text{Ca}^{2+}]_i$ oscillations in rat chromaffin cells: frequency and amplitude modulation by Ca^{2+} and InsP_3	367
<i>P. D'Andrea and F. Grohovaz</i>	
Purinoreceptor P_{2U} identification and function in human intrahepatic biliary epithelial cell lines	375
<i>L.I. Wolkoff, R.D. Perrone, S.A. Grubman, D.W. Lee, S.P. Soltoff, L.C. Rogers, M. Beinborn, S.L. Fang, S.H. Cheng and D.M. Jefferson</i>	
Simultaneous measurement of ^{45}Ca outflow and human placental lactogen release from placental explants	384
<i>P. Lebrun, A.-M. Vanbellinthen, C. Robyn and S. Meuris</i>	
 Number 6 June 1995	
A re-evaluation of the apparent effects of luminal Ca^{2+} on inositol 1,4,5-trisphosphate-induced Ca^{2+} release	393
<i>T.J. Shuttleworth</i>	
Arachidonate and other fatty acids mobilize Ca^{2+} ions and stimulate β-glucuronidase release in a Ca^{2+}-dependent fashion from undifferentiated HL-60 cells	399
<i>D.E. Packham, L. Jiang and A.D. Conigrave</i>	
Cytoplasmic calcium buffer capacity determined with Nitr-5 and DM-nitrophen	409
<i>N.F. Al-Baldawi and R.F. Abercrombie</i>	
Calcium diffusion coefficient in <i>Myxicola</i> axoplasm	422
<i>N.F. Al-Baldawi and R.F. Abercrombie</i>	
Calcium pools in Ehrlich carcinoma cells. A major, high affinity Ca^{2+} pool is sensitive to both inositol 1,4,5-trisphosphate and thapsigargin	431
<i>A. Gamberucci, R. Fulceri, P. Tarroni, R. Giunti, P. Marcolongo, V. Sorrentino and A. Benedetti</i>	
Stimulation of platelet-activating factor (PAF) receptors increases inositol phosphate production and cytosolic free Ca^{2+} concentrations in N1E-115 neuroblastoma cells	442
<i>M. Diserbo, F. Cand, M. Ziade and J. Verdetti</i>	
IP_3-mediated cytosolic and nuclear calcium elevation in NRK-52E cells using 'caged' GPIP_2	453
<i>M.A. Davis, S.H. Chang and B.F. Trump</i>	
Signal transduction of adipokinetic hormones involves Ca^{2+} fluxes and depends on extracellular Ca^{2+} to potentiate cAMP-induced activation of glycogen phosphorylase	459
<i>S.F. Vroemen, W.J.A. Van Marrewijk, C.C.J. Schepers and D.J. Van der Horst</i>	
 Subject Index to Volume 17	 469
Author Index to Volume 17	473